	Application No.	Applicant(s)
Notice of Allowability	10/653,827	SHANK ET AL.
	Examiner	Art Unit
	Darren W Gorman	3752
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI- of the Office or upon petition by the applicant. See 37 CFR 1.313	ars on the cover sheet with the co (OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	orrespondence address plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-10,12-14 and 16-50</u> .		
3. The drawings filed on <u>03 September 2003</u> are accepted by the Examiner.		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority un</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the paper of DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F.</li> </ul>	on's Patent Drawing Review (PTO- Amendment / Comment or in the Comment or in the Comment on the drawing he header according to 37 CFR 1.121(solid of BIOLOGICAL MATERIAL research	Office action of the back) of d).  nust be submitted. Note the
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 11/06/2003</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendr	e

## Examiner's Notes

1. The amendment filed January 18, 2005 fully addresses the issues and claim language suggestions, which were discussed in the telephonic interview as summarized in the Interview Summary filed December 28, 2004. Accordingly the January 18, 2005 amendment places the present application in condition for allowance.

## Information Disclosure Statement

2. The IDS filed on November 6, 2003 is hereby acknowledged and has been placed of record. Please find attached a signed and initialed copy of the PTO 1449.

## Allowable Subject Matter

- 3. Claims 1-10, 12-14, and 16-50 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

The prior art, alone or in combination, did not teach or fairly suggest an apparatus including a heating element for heating fluid that passes from the reservoir to the outlet and a control circuit for energizing at least a portion of the heating element with a voltage to heat the heating element and the fluid passing from the inlet to the outlet, as set forth in claims 1, 16, 20, 29, and 33.

The prior art, alone or in combination, did not teach or fairly suggest a method including a step of energizing a heating element with a voltage to heat the tube and reservoir and the fluid

Art Unit: 3752

passing through the combined fluid flow path of the tube and reservoir, as set forth in claims 36, 37, 39, and 48.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patents to Kochenour, Hagen, Breithaupt et al., Petzold, Bains, Franco et al., Ivanov et al., and Bissonnette et al., are cited as of interest.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Darren W Gorman whose telephone number is 571-272-4901.

  The examiner can normally be reached on M-F 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on 571-272-4901. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/653,827

Art Unit: 3752

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Darren W Gorman Examiner Art Unit 3752

DWG 2/2/05

February 2, 2005

**Supervisory Patent Examiner** 

Group 3700